



## Aluminum Alloy Mounting Systems Solar Panel Tile Roof Mount

### Basic Information

- Place of Origin: China
- Brand Name: GDQ
- Certification: CE
- Model Number: AL
- Minimum Order Quantity: 500 pcs
- Price: consult prices online
- Packaging Details: consult online
- Payment Terms: T/T



GDQX-Aluminum glazed tile hook

### Product Specification

- Maximum Wind Speed: 45M/S
- Maximum Snow Pressure: 0.8KN/M<sup>2</sup>
- Span Range: 0.1-1.8M
- Main Material: AL6005-T5/SUS304
- Installation Site: Tile Roof
- Highlight: **SUS304 Aluminum Alloy Mounting Systems, Aluminum Alloy Mounting Systems AL6005, T5 solar panel tile roof mount**

## Product Description

### Aluminum Alloy Mounting Systems for Versatile Solar Panel Arrangements

# Aluminum glazed tile hook

1. Light weight
2. High strength
3. Corrosion resistant
4. Exquisite appearance

#### Product Description:

The Aluminum Glazed Tile Hook is a premium solution for securing solar panels on tile roofs. This hook is designed with superior aluminum material, offering both strength and durability while maintaining a lightweight structure. With its corrosion-resistant properties, it ensures long-lasting performance even in harsh environmental conditions. The product's sleek and exquisite appearance complements modern architectural designs. Its application versatility makes it suitable for framed or unframed solar panels, and it supports both horizontal and vertical installation.

Specification	
Maximum wind speed	45M/S
Maximum snow pressure	0.8KN/M <sup>2</sup>
Span Range	0.1-1.8M
Design standard	AS/NZS1170,ASCE7-05,DIN1044
BSEN990	2002
BSEN991-1-3	2000
BSEN990-1-4	2005
Installation site	Tile Roof
Main Material	AL6005-T5/SUS304
Fastener Material	SUS304
Applicable Components	Framed or unframed
Applicable Arrangement	Horizontal/vertical

#### Application:

Ideal for installation on tile roofs, this hook is commonly used in residential and commercial solar energy projects. With its ability to withstand strong winds and snow pressure, it is perfect for areas with challenging weather conditions.

#### Shipping Methods

Supports global air and sea shipping

**If you require more detailed product information or have customized requests, please contact us. Providing efficient service that satisfies our customers is our responsibility.**





[willa@fuhaosolar.com](mailto:willa@fuhaosolar.com)



[fuhaosolar.com](http://fuhaosolar.com)

Rm3810 Baoli E Building Pa Zhou Haizhu district Guangzhou